Safety Data Sheet: EcoExtreme Clean Power Gel

Version No. 030125 Issue Date: March 1, 2025

## **Section 1: IDENTIFICATION**

**Product** EcoExtreme Clean Power Gel

Company EcoExtreme Clean Ltd Telephone: 1-587-448-3829

915 South Railway St SE

Medicine Hat, AB, Canada TIA 2W3 E- general@ecoextremeclean.com

**Emergency Phone:** 1-403-580-0906

**Recommended Use:** See Technical Data Sheet **Restrictions on Use:** See Technical Data

## **Section 2: HAZARDS IDENTIFICATION**

This product is not classified as hazardous under 2012 OSHA Hazard Communication Standards (29CFR

OSHA HCS 2012

Label Elements

Signal Word: None Hazard None required

**Hazard Statements:** None

Precautionary Statements: Caution: Keep Out of Reach of Children.

Hazards Not Otherwise Classified (HNOC): None

**Other** None

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

<u>Ingredient</u>	CAS	Percent Range
Water	<u>Number</u>	>90%*
Xantham Gum	7732-18-5	< 2%*
Proprietary Chelates	11138-66-2	> 1%*
Proprietary Surfactants	Proprietar	> 1%*
Proprietary Solvents	у	< 1%*

<sup>\*</sup>specific percentages and ingredients of composition are being withheld as a trade secret per 29CFR 1910.1200 (i)

## **Section 4: FIRST-AID MEASURES**

**Inhalation:** Not expected to cause respiratory irritation. If adverse effect occurs, move to fresh air.

Skin Contact: Non skin irritant. If adverse effect occurs, rinse skin with water. Eye Contact: Mild eye irritant. If adverse effect occurs, flush eyes with water.

**Ingestion:** Do not induce vomiting. Drink plenty of water to dilute. Seek Medical Attention.

Most important Symptoms/Effects, Acute and None

Indication of Immediate Medical Attention and Special Treatment Needed, if necessary: Treat symptomatically

### **Section 5: FIRE-FIGHTING MEASURES**

Suitable & Unsuitable Extinguishing Media: Use dry

**Specific Hazards Arising from** In event of fire, fire created carbon oxides may be formed.

Special Protective Actions for Fire-Fighters: Wear positive pressure self-contained breathing apparatus; Wear full protective clothing.

This product is non-flammable. See Section 9 for Physical Properties.

## Section 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures: Avoid contact with eyes.

**Environmental Precautions:** Concentrate should be diluted before disposal.

Methods and Materials for Containment and Clean Up: Small spills can be flushed into normal drainage with copious amounts of water. Large spills should be contained by diking or taken up with absorbent material and held for disposal.

### **Section 7: HANDLING AND STORAGE**

**Precautions for Safe Handling:** Ensure adequate ventilation. Keep out of reach of children.

**Conditions for Safe Storage including** Keep container tightly closed. Keep in cool dry area.

Store at temperatures above 60 F and below 120 F. If separation occurs, mix the product for reconstitution.

## Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Showers, eyewash stations, and ventilation systems **Appropriate Engineering** 

**Individual Protection Measures / Personal Protective Equipment** 

Use protective glasses or safety goggles if splashing or spray-back is likely. Eye Contact:

Use in well ventilated areas or local exhaust ventilations when cleaning in small spaces. Respiratory: Use protective gloves (any material) when used for prolonged periods or dermally sensitive. Skin

General Hygiene Considerations: Wash thoroughly after handling and before eating or drinking.

#### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Colorless Partition Coefficient: n-octanol/water: Not Appearance: **Autoignition Temperature:** Odor: Liquid determined **Decomposition Temperature: Odor Threshold:** Characteristic Non-flammable

pH ASTM D-1293: Not determined Viscosity: Like

**Specific Gravity ASTM D-891:** Freezing Point ASTM D-1177: 0-33.3 ° C (32-38° F) 1.055 Boiling Point & Range ASTM D-1120: 100 ° C (212° F) Flash Point ASTM D-93: >212°

**Evaporation Rate ASTM D-1901:** Same as Water Flammability (solid, gas): Not Applicable

Upper/Lower Flammability or Explosive Limits: Not Applicable

Vapor Pressure ASTM D-323: N/A

Vapor Density: **Solubility:** Not

**VOC Composite Partial Pressure: Relative Density ASTM D-4017:** 

100% in

Not

### **Section 10: STABILITY AND REACTIVITY**

**Reactivity:** Non-reactive.

Chemical Stability: Stable under normal conditions.

**Possibility of Hazardous Reactions:** None known.

**Conditions to Avoid:** Excessive heat or cold.

**Incompatible Materials:**Do not mix oxidizers or other reactive materials. **Hazardous Decomposition**Do not mix oxidizers or other reactive materials.

Normal products of combustion – CO,CO2

## **Section 11: TOXICOLOGICAL INFORMATION**

**Likely Routes of** Inhalation - Overexposure may cause headache.

Skin Contact - None irritant, repeated contact may cause dryskin.

Eye Contact - Mild irritant, redness and pain may develop.

Ingestion - May cause upset stomach and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics: no symptoms expected under normal use conditions. Delayed and immediate effects and or chronic effects from short term exposure: no symptoms expected under normal use conditions. Delayed and immediate effects and or chronic effects from long term exposure: Not known Interactive effects: Not known.

Numerical Measures of

Acute Toxicity: Oral LD<sub>50</sub> (rat) >5 g/kg body weight

Dermal LD<sub>50</sub> (rabbit) >5 g/kg body weight

Calculated via OSHA HCS 2012 / Globally Harmonized System of Classification and Labeling of Chemicals

**Skin Corrosion/Irritation:** Non-**Eye Damage/Irritation:** Minimal

## **Section 12: ECOLOGICAL INFORMATION**

Ecotoxicity:Not availableBio accumulative Potential:NodataAquatic:Not availableMobility in Soil:available.NoTerrestrial:Not tested on finishedOther Adverse Effects:dataavailable.

Persistence and Degradability: Readily

## **Section 13: DISPOSAL CONSIDERATIONS**

**Unused or Used Liquid:** May be considered hazardous in your area depending on usage and tonnage of disposal – check with local, regional, and or national regulations for appropriate methods of disposal.

**Empty** May be offered for

Never dispose of used rinses into lakes, streams, and open bodies of water.

## **Section 14: TRANSPORT INFORMATION**

U.N. Number: Not U.N. Proper Shipping Name: Cleaning Compound, Liquid NIO

Transport Hazard Class(es):applicableHS Code Number:3401.20Packing Group:NotClass:55

**Environmental Hazards:** applicable

**Transport Hazzard Classes:** 

U.S. (DOT) / Canadian TDG: Not Regulated for shipping. ICAO/IATA: Not classified as Hazardous. IMO/IDMG: Not classified as ADR/RID: Not classified as Hazardous.

**Special precautions for user:** Hazardous. None known

# **Section 15: REGULATORY INFORMATION**

All components are listed TSCA and DSL

**SARA Title III:** Sections 311/312 Hazard Categories – Not applicable.

Section 313 Superfunds Amendments and Reauthorizations Act of 1986 – Not applicable.

Section 302 – Not applicable.


Clean Air Act (CAA):Not Applicable.Clean Water Act (CWA):Not Applicable.State Right To Know Lists:No Ingredients listed.California Proposition 65:No Ingredients listed.


# **Section 16: OTHER INFORMATION**

#### NFPA:

Flammability – Non-flammable Special – None Health – None Stability – Stable

Health	0
Fire Hazard	0
Reactivity	0
Special	0





#### **Acronyms**

NTP National Toxicology Program
OSHA Occupational Safety and Health Administration

TSCA Toxic Substances Control Act

IARC International Agency for Research on Cancer CPSC Consumer Product Safety Commission

## Prepared / Revised By:

EcoExtreme Clean Ltd.

**DISCLAIMER:** The information provided in this Safety Data Sheet is correct to the best knowledge, information and belief at the date of publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.